


SIZE	d	L	FLANGED								H	H1	H2	d _o	l	b	E	t ₂	N ₂	h ₂	W1	W2	WEIGHT Kg
			D	C	g	f	t	N	h														
15	1/2	25	166	95	70	51	1	12	4	15	105	122	156	43	80	180	100	10	4	10	R3/8	R3/8	11.5
20	3/4	25	170	100	75	56	1	14	4	15	105	122	156	43	80	180	100	10	4	10	R3/8	R3/8	11.5
25	1	25	170	125	90	67	1	14	4	19	105	122	156	43	80	180	100	10	4	10	R3/8	R3/8	12.5
32	1 1/4	25	174	135	100	76	2	16	4	19	105	122	156	43	80	180	100	10	4	10	R3/8	R3/8	



SCREEN

	MESH
	20 MESH
	40 MESH
	60 MESH
	80 MESH
	100 MESH

No	NAME OF PART	MATERIAL	Q.T.Y	REMARKS
20	O-RING	FPM	1	
19	O-RING	FPM	1	
18	PLUG	SUS304	2	
17	PLUG	SUS304	1	
16	RING	SUS304	1	
15	BOLT	SUS304	2	
14	BOLT NUT	SUS304	SET	
13	GASKET	V#7010	2	
12	O-RING	FPM	2	
11	RING	PTFE	1	
10	SPACER	SUS304	1	
9	SCREEN	SUS304	2	
8	LEVER	SUS304	1	
7	STOPPER	SUS304	1	
6	GLAND	SCS13A	1	
5	YOKE	SCS13A	2	
4	COVER	SCS13A	2	
3	DISC	SCS13A	1	
2	SCREEN BOX	SCS13A	2	
1	BODY	SCS13A	1	

NAME 10K
FLANGED U TYPE STRAINER

FLUID	DESIGN PRESSURE	DESIGN TEMPERATURE	TEST PRESSURE	BODY	SEAT
	0.7 MPaG	R.T. °C		(HYD) 1.05 MPaG (AIR) MPaG	(HYD) 0.7 MPaG (AIR) MPaG
				(HYD) MPaG (AIR) MPaG	

DRAWING No _____ MODEL No 10FUW-13A

DATE	A.P	C.K	D.S	D.W
FEB. 18, 2006	MORITA	MORITA	MORITA	MORITA

No	DESCRIPTION	DATE	A.P	C.K	D.W
◇	Changed the specification	APR. 30, 2020	TAKAHASHI	TAKAHASHI	MORITA
◇	No.11 material change	2008.5.9	MORITA	MORITA	MORITA

REVISIONS